


HD Range Wheelclamp Instructions



Diagram



Specific models may vary slightly from model shown

Maintenance

On a regular basis for optimum performance:

- Clean and lubricate moving parts.
We recommend using SAS Mint General Protectant Spray to lubricate and protect the locks of all our products.
- Unwind the adjusting screw behind 'A' and remove pin 'E' - Grease the pin and reassemble.
We recommend using SAS Corrosion Block Waterproof Grease.

Spare Parts

Replacement Parts can be ordered at your local SAS dealer, or online at www.sasproducts.com



SAS HD Range Fitting Instructions

1. Insert the key into the lock, ensuring that the key fits all the way into the lock, leaving only 5mm of key shaft exposed. Turn key and remove the lock from the front arm at "A".
2. Insert Allen key into bolt inside socket "A".
3. Turn the Allen key in an anticlockwise direction to open rear arm "B" to sufficient distance to enable the clamp to be placed over the tyre.
4. Locate the tube "C" over the wheel nut, move the clamp down until the tyre comes into contact with the lower frame marked "D". The teeth on the arms of the SAS Clamp "F" should now be in line with the wheel rims (It is not essential for the base of the clamp to be in contact with the ground).
5. Using the Allen key, AND HOLDING THE CLAMP IN POSITION turn the key in a clockwise direction until the clamp is locked tight onto the wheel, then replace the lock.
6. Replace the lock by inserting lock into lock housing, first ensuring that the key is inserted all the way into the lock, leaving only 5mm of key shaft exposed.

IMPORTANT NOTICE:

- 1. For maximum security it is essential to cut the front tube "C" down to allow the clamp to fit snugly to your particular wheel contour. This cuts possible leverage space to a minimum.**
- 2. For wheels with deep-set nuts/bolts extension tubes are available which lengthen the tube "C".**
- 3. For large rear hubs, the rear arm can be trimmed down to fit snugly onto the rear rim.**

IT IS IMPERATIVE THAT THE CLAMP IS FITTED CORRECTLY FOR EFFECTIVE PROTECTION.

About SAS

We understand the life of towing and what is important to you.

A caravan or a motorhome is more than a box on wheels – it is a home, a store of happy memories and a lifestyle. A trailer is more than just a transport device – it is still the most flexible means available to transport bulky items from A to B by yourself. We know the importance of the experiences you build in your caravan or the days you spend with your trailer behind you.

Unfortunately however, in today's world, crime and theft continue to increase. Over 4000 caravans are stolen in the UK each year*, and less than 3% are ever fully recovered**.

Our vision is to bring a stop to caravan and trailer theft with quality, reliable security solutions that deter criminals and prevent crime. We are on a mission to preserve your assets and memories and give you peace of mind.

Nothing speak of quality, reliability and peace of mind quite like a SAS CLAMP.

In over 30 years of speaking to owners of trailers and caravans, we have developed our solutions to fit your needs, and we are proud of the confidence placed in us by owners, insurers, quality controllers and our distribution network alike.

Visit the SAS website today to find other ways to SECURE YOUR WORLD.

* According to AA Caravan Insurance

** According to Club Care Insurance figures



SAS Security Products Ltd

+44 1444 675889

sales@sasproducts.com

www.sasproducts.com

