

# *Trailer Ramp Lock Instructions*



## Diagram

Front View



Rear View



*Specific models may vary slightly from model shown*

## Maintenance - IMPORTANT

On a regular basis for optimum performance:

- Clean and lubricate moving parts.  
We recommend using SAS mint general protectant spray to lubricate and protect the locks of all our products.



## Spare Parts

Replacement parts can be ordered at your local SAS dealer, or online at [www.sasproducts.com](http://www.sasproducts.com)

# SAS Trailer Ramp Lock Fitting Instructions



- 1. Secure the Ramps:** Ensure your ramps are fully pushed into their storage housing on the trailer and that the trailer's securing latches are closed.
- 2. Position the Lock:** Extend the telescopic bar and align it over the top of the stored ramps, directly above the latches that secure the ramps to the trailer. When correctly placed, the Ramp Lock prevents the latches from being opened or removed.
- 3. Engage the Hooks:** Lower the bar so that the hooks on the underside fit directly into the larger holes on the loading ramps and slide the two sections together engaging the hooks in the holes.
- 4. Locking:** Press the high-security lock cylinder to engage the push-to-lock mechanism. Verify the bar is firm and cannot be lifted.

## IMPORTANT NOTICE:

***IT IS IMPERATIVE THAT THE LOCK IS FITTED CORRECTLY FOR EFFECTIVE PROTECTION.***

## Removal & Storage

**To Unlock:** Insert one of the three supplied keys to release the locking pin.

**To Store:** Retract the telescopic bar to its most compact setting and press lock for easy storage in your vehicle or property.

## About SAS

For over 38 years, SAS has been dedicated to designing and manufacturing reliable security solutions to protect your most valuable assets. Our robust products are rigorously tested and we are proud to say are trusted by owners, insurers, and industry experts alike. We offer a full range of security solutions, including **wheel clamps, hitch locks, garage locks, and other universal security products.**

**Visit the SAS website to explore our full range of security products and SECURE YOUR WORLD TODAY!**

### Hitch Locks

Lock Hitched - Easily secure your trailer or towed equipment to your vehicle when stationary.

Lock Unhitched - Quickly secure your trailer or equipment when parked and uncoupled from your vehicle.



### Wheel Clamps

Stop unauthorised movement — secure the wheel of your vehicle or equipment for added protection.



### Security Posts

Heavy-duty removable security posts. Enhance protection with an optional tow ball bracket to secure your vehicle or trailer to the post.



### Chains & Padlocks

Wide range of heavy-duty chains and padlocks to keep your vehicle or equipment secure.



### Ground Anchors

Easily create a secure anchor point to attach chains and deter theft.



Code: 5710781



**SAS Security Products Ltd**

+44 1444 675889

[sales@sasproducts.com](mailto:sales@sasproducts.com)

[www.sasproducts.com](http://www.sasproducts.com)

